


EXTERIOR ELEVATION

NOT TO SCALE

~ SOLAR INNOVATIONS' TERRACE DOOR ~

"INTERIOR"



"EXTERIOR"

PLAN VIEW

NOT TO SCALE

UNIT INFORMATION
FRAMING TYPE: G2 Standard Framing with Iso-bar thermal break
GLAZING SET UP: Opening for $\frac{7}{16}$ " to 1" Insulated Glazing
Zero Maintenance Extruded Aluminum Hinges with Stainless Steel Pin
Designed and Manufactured in the U.S.A.

© 2017 Solar Innovations, Inc. - All Rights Reserved. These plans are the property of Solar Innovations, Inc. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations, Inc. is forbidden.




SI2250HP Impact G2 Modular Terrace Door - G2 FGW Framing, Outfold, Standard Dual Wheel Sill

ALL DRAWINGS
ARE VIEWED
FROM THE
EXTERIOR
LOOKING IN.

DRAWING
SCALE:
NOT TO SCALE

ALL DATA CONTAINED HERE IN IS CONSIDERED COMPANY CONFIDENTIAL INFORMATION AND IS SUBJECT TO OUR CONFIDENTIALITY AGREEMENT AS SET FORTH ON OUR WEBSITE AT <http://www.solarinnovations.com/contact/>



© 2017 Solar Innovations, Inc. - All Rights Reserved. These plans are the property of Solar Innovations, Inc. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations, Inc. is forbidden.




SOLAR INNOVATIONS®
WINDOWS & DOORS

SI2250HP Impact G2 Modular Terrace Door - G2 Folding Glass Wall
Framing, Outfold, Standard Dual Wheel Sill - Head and Sill Section

ALL DATA CONTAINED HERE IN IS CONSIDERED COMPANY CONFIDENTIAL INFORMATION AND IS SUBJECT TO OUR CONFIDENTIALITY AGREEMENT AS SET FORTH ON OUR WEBSITE AT <http://www.solarinnovations.com/contact/>

ALL DRAWINGS
ARE VIEWED
FROM THE
EXTERIOR
LOOKING IN.

DRAWING
SCALE:
NOT TO SCALE



© 2017 Solar Innovations, Inc. - All Rights Reserved. These plans are the property of Solar Innovations, Inc. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations, Inc. is forbidden.




SI2250HP Impact G2 Modular Terrace Door - G2 Folding Glass Wall Framing, Outfold, Standard Dual Wheel Sill - Jamb Details

ALL DATA CONTAINED HERE IN IS CONSIDERED COMPANY CONFIDENTIAL INFORMATION AND IS SUBJECT TO OUR CONFIDENTIALITY AGREEMENT AS SET FORTH ON OUR WEBSITE AT <http://www.solarinnovations.com/contact/>


ALL DRAWINGS
ARE VIEWED
FROM THE
EXTERIOR
LOOKING IN.

DRAWING
SCALE:
NOT TO SCALE


SI2250HP IMPACT G2 MODULAR TERRACE DOOR SILLS




RECESSED STANDARD SILL
 12.0 PSF NO LEAKAGE
 HURRICANE CERTIFIED
 NOT ADA
MUST CHOOSE PAINT COLOR



STANDARD SILL
 12.0 PSF NO LEAKAGE
 HURRICANE CERTIFIED
 NOT ADA
MUST CHOOSE PAINT COLOR



RECESSED FLUSH SILL
 LIMITED AIR & WATER PERFORMANCE
 SIMILAR TO COMMERCIAL DOOR OR BETTER
 BECAUSE OF TANK
 HURRICANE CERTIFIED AT 9.0PSF NO LEAKAGE
CLR OR DK BRZ ANODIZED



RECESSED SILL w/ DOUBLE ADJUSTABLE RAMP STOP
 LIMITED WATER RESISTANCE SIMILAR
 TO COMMERCIAL DOOR
 HURRICANE CERTIFIED
 MEETS ADA
CLR OR DK BRZ ANODIZED

© 2017 Solar Innovations, Inc. - All Rights Reserved. These plans are the property of Solar Innovations, Inc. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations, Inc. is forbidden.



SI2250HP Impact G2 Modular Terrace Door - G2 Folding Glass Wall Framing - Sill Options

ALL DATA CONTAINED HERE IN IS CONSIDERED COMPANY CONFIDENTIAL INFORMATION AND IS SUBJECT TO OUR CONFIDENTIALITY AGREEMENT AS SET FORTH ON OUR WEBSITE AT <http://www.solarinnovations.com/contact/>

ALL DRAWINGS
 ARE VIEWED
 FROM THE
 EXTERIOR
 LOOKING IN.

DRAWING
 SCALE:
 NOT TO SCALE