EXTERIOR ELEVATION

~ SOLAR INNOVATIONS' MULTI-TRACK SLIDER ~

UNIT INFORMATION
FRAMING TYPE: G2 High Wind Hook Rail
GLAZING SET UP: Opening for $\frac{1}{4}$" Monolithic Glazing to $1\frac{1}{16}$" Insulated Glazing, Polycarbonate, or Solid Panel Infill
Decorative interior and exterior low profile grid option.
Minimum Horizontal Panel Dimension 22".
Designed and Manufactured in the U.S.A.

PLAN VIEW - PANELS CLOSED

PLAN VIEW - PANELS OPEN

© 2023 Solar Innovations, Inc. - All Rights Reserved. These plans are the property of Solar Innovations, Inc. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations, Inc. is forbidden.

SOLAR INNOVATIONS®
WINDOWS & DOORS

SI8000 G2 Thermally Broken All Wall Sliding Glass Door, High Wind Hook Rail, $1\frac{1}{2}$" Upleg, 3" Rollers

ALL DATA CONTAINED HERE IN IS CONSIDERED COMPANY CONFIDENTIAL INFORMATION AND IS SUBJECT TO OUR CONFIDENTIALITY AGREEMENT AS SET FORTH ON OUR WEBSITE AT http://www.solarinnovations.com/contact/

ALL DRAWINGS ARE VIEWED FROM THE EXTERIOR LOOKING IN.

DRAWING SCALE: NOT TO SCALE

© 2023 Solar Innovations® Architectural Glazing Systems – All Rights Reserved. These plans are the property of Solar Innovations® Architectural Glazing Systems. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations® Architectural Glazing Systems is forbidden.

© 2023 Solar Innovations® Architectural Glazing Systems – All Rights Reserved. These plans are the property of Solar Innovations® Architectural Glazing Systems. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations® Architectural Glazing Systems is forbidden.

© 2023 Solar Innovations, Inc. - All Rights Reserved. These plans are the property of Solar Innovations, Inc. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations, Inc. is forbidden.

SOLAR INNOVATIONS®
WINDOWS & DOORS

SI8000 G2 Thermally Broken All Wall Sliding Glass Door, High Wind Hook Rail, $1\frac{1}{2}$" Upleg, 3" Rollers, w/o Screen - Head and Sill Section Details

ALL DATA CONTAINED HERE IN IS CONSIDERED COMPANY CONFIDENTIAL INFORMATION AND IS SUBJECT TO OUR CONFIDENTIALITY AGREEMENT AS SET FORTH ON OUR WEBSITE AT http://www.solarinnovations.com/contact/

ALL DRAWINGS ARE VIEWED FROM THE EXTERIOR LOOKING IN.

DRAWING SCALE: NOT TO SCALE

© 2023 Solar Innovations, Inc. - All Rights Reserved. These plans are the property of Solar Innovations, Inc. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations, Inc. is forbidden.

SOLAR INNOVATIONS®
WINDOWS & DOORS

SI8000 G2 Thermally Broken All Wall Sliding Glass Door, High Wind Hook Rail, w/o Screen - Jamb & Meeting Rail Details

ALL DATA CONTAINED HERE IN IS CONSIDERED COMPANY CONFIDENTIAL INFORMATION AND IS SUBJECT TO OUR CONFIDENTIALITY AGREEMENT AS SET FORTH ON OUR WEBSITE AT http://www.solarinnovations.com/contact/

ALL DRAWINGS ARE VIEWED FROM THE EXTERIOR LOOKING IN.

DRAWING SCALE: NOT TO SCALE

© 2023 Solar Innovations® Architectural Glazing Systems – All Rights Reserved. These plans are the property of Solar Innovations® Architectural Glazing Systems. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations® Architectural Glazing Systems is forbidden.

© 2023 Solar Innovations, Inc. - All Rights Reserved. These plans are the property of Solar Innovations, Inc. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations, Inc. is forbidden.

SOLAR INNOVATIONS®
WINDOWS & DOORS

SI8000 G2 Thermally Broken All Wall Sliding Glass Door, High Wind Hook Rail, w/o Screen - Jamb & Meeting Rail Details

ALL DATA CONTAINED HERE IN IS CONSIDERED COMPANY CONFIDENTIAL INFORMATION AND IS SUBJECT TO OUR CONFIDENTIALITY AGREEMENT AS SET FORTH ON OUR WEBSITE AT http://www.solarinnovations.com/contact/

ALL DRAWINGS ARE VIEWED FROM THE EXTERIOR LOOKING IN.

DRAWING SCALE: NOT TO SCALE

© 2023 Solar Innovations® Architectural Glazing Systems – All Rights Reserved. These plans are the property of Solar Innovations® Architectural Glazing Systems. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations® Architectural Glazing Systems is forbidden.

© 2023 Solar Innovations® Architectural Glazing Systems – All Rights Reserved. These plans are the property of Solar Innovations® Architectural Glazing Systems. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations® Architectural Glazing Systems is forbidden.

© 2023 Solar Innovations, Inc. - All Rights Reserved. These plans are the property of Solar Innovations, Inc. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations, Inc. is forbidden.

SOLAR INNOVATIONS®
WINDOWS & DOORS

SI8000 G2 Thermally Broken All Wall Sliding Glass Door, High Wind Hook Rail, $1\frac{1}{2}$" Upleg, 3" Rollers, w/ Screen - Head and Sill Section Details

ALL DATA CONTAINED HERE IN IS CONSIDERED COMPANY CONFIDENTIAL INFORMATION AND IS SUBJECT TO OUR CONFIDENTIALITY AGREEMENT AS SET FORTH ON OUR WEBSITE AT http://www.solarinnovations.com/contact/

ALL DRAWINGS ARE VIEWED FROM THE EXTERIOR LOOKING IN.

DRAWING SCALE: NOT TO SCALE

© 2023 Solar Innovations, Inc. - All Rights Reserved. These plans are the property of Solar Innovations, Inc. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations, Inc. is forbidden.

SOLAR INNOVATIONS®
WINDOWS & DOORS

SI8000 G2 Thermally Broken All Wall Sliding Glass Door, High Wind Hook Rail, w/ Screen - Jamb & Meeting Rail Details

ALL DATA CONTAINED HERE IN IS CONSIDERED COMPANY CONFIDENTIAL INFORMATION AND IS SUBJECT TO OUR CONFIDENTIALITY AGREEMENT AS SET FORTH ON OUR WEBSITE AT http://www.solarinnovations.com/contact/

ALL DRAWINGS ARE VIEWED FROM THE EXTERIOR LOOKING IN.

DRAWING SCALE: NOT TO SCALE

© 2023 Solar Innovations® Architectural Glazing Systems – All Rights Reserved. These plans are the property of Solar Innovations® Architectural Glazing Systems. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations® Architectural Glazing Systems is forbidden.

© 2023 Solar Innovations, Inc. - All Rights Reserved. These plans are the property of Solar Innovations, Inc. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations, Inc. is forbidden.

SOLAR INNOVATIONS®
WINDOWS & DOORS

SI8000 G2 Thermally Broken All Wall Sliding Glass Door, High Wind Hook Rail, w/ Screen - Jamb & Meeting Rail Details

ALL DATA CONTAINED HERE IN IS CONSIDERED COMPANY CONFIDENTIAL INFORMATION AND IS SUBJECT TO OUR CONFIDENTIALITY AGREEMENT AS SET FORTH ON OUR WEBSITE AT http://www.solarinnovations.com/contact/

ALL DRAWINGS ARE VIEWED FROM THE EXTERIOR LOOKING IN.

DRAWING SCALE: NOT TO SCALE

© 2023 Solar Innovations® Architectural Glazing Systems – All Rights Reserved. These plans are the property of Solar Innovations® Architectural Glazing Systems. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations® Architectural Glazing Systems is forbidden.

EXTERIOR ELEVATION

~ SOLAR INNOVATIONS MULTI-TRACK SLIDER ~

UNIT INFORMATION
FRAMING TYPE: G2 High Wind Hook Rail
GLAZING SET UP: Opening for $\frac{1}{4}$" Monolithic Glazing to $1\frac{1}{16}$" Insulated Glazing, Polycarbonate, or Solid Panel Infill
Decorative interior and exterior low profile grid option.
Minimum Horizontal Panel Dimension 22".
Designed and Manufactured in the U.S.A.

PLAN VIEW: PANELS CLOSED

PLAN VIEW: PANELS OPEN

© 2023 Solar Innovations, Inc. - All Rights Reserved. These plans are the property of Solar Innovations, Inc. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations, Inc. is forbidden.

SOLAR INNOVATIONS®
WINDOWS & DOORS

SI8000 G2 Thermally Broken Split Wall Sliding Glass Door, High Wind Hook Rail, $1\frac{1}{2}$" Upleg, 3" Rollers

ALL DATA CONTAINED HERE IN IS CONSIDERED COMPANY CONFIDENTIAL INFORMATION AND IS SUBJECT TO OUR CONFIDENTIALITY AGREEMENT AS SET FORTH ON OUR WEBSITE AT http://www.solarinnovations.com/contact/

ALL DRAWINGS ARE VIEWED FROM THE EXTERIOR LOOKING IN.

DRAWING SCALE: NOT TO SCALE

© 2023 Solar Innovations® Architectural Glazing Systems – All Rights Reserved. These plans are the property of Solar Innovations® Architectural Glazing Systems. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations® Architectural Glazing Systems is forbidden.

© 2023 Solar Innovations® Architectural Glazing Systems – All Rights Reserved. These plans are the property of Solar Innovations® Architectural Glazing Systems. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations® Architectural Glazing Systems is forbidden.

© 2023 Solar Innovations, Inc. - All Rights Reserved. These plans are the property of Solar Innovations, Inc. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations, Inc. is forbidden.

SOLAR INNOVATIONS®
WINDOWS & DOORS

SI8000 G2 Thermally Broken Split Wall Sliding Glass Door, High Wind Hook Rail, 1 1/2" Upleg, 3" Rollers, w/o Screen - Head and Sill Section Details

ALL DATA CONTAINED HERE IN IS CONSIDERED COMPANY CONFIDENTIAL INFORMATION AND IS SUBJECT TO OUR CONFIDENTIALITY AGREEMENT AS SET FORTH ON OUR WEBSITE AT http://www.solarinnovations.com/contact/

ALL DRAWINGS ARE VIEWED FROM THE EXTERIOR LOOKING IN.

DRAWING SCALE: NOT TO SCALE

© 2023 Solar Innovations, Inc. - All Rights Reserved. These plans are the property of Solar Innovations, Inc. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations, Inc. is forbidden.

SOLAR INNOVATIONS® WINDOWS & DOORS

SI8000 G2 Thermally Broken Split Wall Sliding Glass Door, High Wind Hook Rail, w/o Screen - Jamb & Meeting Rail Details

ALL DATA CONTAINED HERE IN IS CONSIDERED COMPANY CONFIDENTIAL INFORMATION AND IS SUBJECT TO OUR CONFIDENTIALITY AGREEMENT AS SET FORTH ON OUR WEBSITE AT http://www.solarinnovations.com/contact/

ALL DRAWINGS ARE VIEWED FROM THE EXTERIOR LOOKING IN.

DRAWING SCALE: NOT TO SCALE

© 2023 Solar Innovations® Architectural Glazing Systems – All Rights Reserved. These plans are the property of Solar Innovations® Architectural Glazing Systems. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations® Architectural Glazing Systems is forbidden.

© 2023 Solar Innovations, Inc. - All Rights Reserved. These plans are the property of Solar Innovations, Inc. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations, Inc. is forbidden.

SOLAR INNOVATIONS®
WINDOWS & DOORS

SI8000 G2 Thermally Broken Split Wall Sliding Glass Door, High Wind Hook Rail, w/o Screen - Meeting Rail Details

ALL DATA CONTAINED HERE IN IS CONSIDERED COMPANY CONFIDENTIAL INFORMATION AND IS SUBJECT TO OUR CONFIDENTIALITY AGREEMENT AS SET FORTH ON OUR WEBSITE AT http://www.solarinnovations.com/contact/

ALL DRAWINGS ARE VIEWED FROM THE EXTERIOR LOOKING IN.

DRAWING SCALE: NOT TO SCALE

© 2023 Solar Innovations® Architectural Glazing Systems – All Rights Reserved. These plans are the property of Solar Innovations® Architectural Glazing Systems. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations® Architectural Glazing Systems is forbidden.

© 2023 Solar Innovations, Inc. - All Rights Reserved. These plans are the property of Solar Innovations, Inc. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations, Inc. is forbidden.

SOLAR INNOVATIONS® WINDOWS & DOORS

SI8000 G2 Thermally Broken Split Wall Sliding Glass Door, High Wind Hook Rail, w/o Screen - Jamb & Meeting Rail Details

ALL DATA CONTAINED HERE IN IS CONSIDERED COMPANY CONFIDENTIAL INFORMATION AND IS SUBJECT TO OUR CONFIDENTIALITY AGREEMENT AS SET FORTH ON OUR WEBSITE AT http://www.solarinnovations.com/contact/

ALL DRAWINGS ARE VIEWED FROM THE EXTERIOR LOOKING IN.

DRAWING SCALE: NOT TO SCALE

© 2023 Solar Innovations® Architectural Glazing Systems – All Rights Reserved. These plans are the property of Solar Innovations® Architectural Glazing Systems. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations® Architectural Glazing Systems is forbidden.

© 2023 Solar Innovations® Architectural Glazing Systems – All Rights Reserved. These plans are the property of Solar Innovations® Architectural Glazing Systems. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations® Architectural Glazing Systems is forbidden.

© 2023 Solar Innovations, Inc. - All Rights Reserved. These plans are the property of Solar Innovations, Inc. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations, Inc. is forbidden.

SOLAR INNOVATIONS®
WINDOWS & DOORS

SI8000 G2 Thermally Broken Split Wall Sliding Glass Door, High Wind Hook Rail, $1\frac{1}{2}$" Upleg, 3" Rollers, w/ Screen - Head and Sill Section Details

ALL DATA CONTAINED HERE IN IS CONSIDERED COMPANY CONFIDENTIAL INFORMATION AND IS SUBJECT TO OUR CONFIDENTIALITY AGREEMENT AS SET FORTH ON OUR WEBSITE AT http://www.solarinnovations.com/contact/

ALL DRAWINGS ARE VIEWED FROM THE EXTERIOR LOOKING IN.

DRAWING SCALE: NOT TO SCALE

© 2023 Solar Innovations, Inc. - All Rights Reserved. These plans are the property of Solar Innovations, Inc. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations, Inc. is forbidden.

SOLAR INNOVATIONS®
WINDOWS & DOORS

SI8000 G2 Thermally Broken Split Wall Sliding Glass Door, High Wind Hook Rail, w/ Screen - Jamb & Meeting Rail Details

ALL DATA CONTAINED HERE IN IS CONSIDERED COMPANY CONFIDENTIAL INFORMATION AND IS SUBJECT TO OUR CONFIDENTIALITY AGREEMENT AS SET FORTH ON OUR WEBSITE AT http://www.solarinnovations.com/contact/

ALL DRAWINGS ARE VIEWED FROM THE EXTERIOR LOOKING IN.

DRAWING SCALE: NOT TO SCALE

© 2023 Solar Innovations® Architectural Glazing Systems – All Rights Reserved. These plans are the property of Solar Innovations® Architectural Glazing Systems. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations® Architectural Glazing Systems is forbidden.

© 2023 Solar Innovations, Inc. - All Rights Reserved. These plans are the property of Solar Innovations, Inc. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations, Inc. is forbidden.

SOLAR INNOVATIONS®
WINDOWS & DOORS

SI8000 G2 Thermally Broken Split Wall Sliding Glass Door, High Wind Hook Rail, w/ Screen - Meeting Rail Details

ALL DATA CONTAINED HERE IN IS CONSIDERED COMPANY CONFIDENTIAL INFORMATION AND IS SUBJECT TO OUR CONFIDENTIALITY AGREEMENT AS SET FORTH ON OUR WEBSITE AT http://www.solarinnovations.com/contact/

ALL DRAWINGS ARE VIEWED FROM THE EXTERIOR LOOKING IN.

DRAWING SCALE: NOT TO SCALE

© 2023 Solar Innovations® Architectural Glazing Systems – All Rights Reserved. These plans are the property of Solar Innovations® Architectural Glazing Systems. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations® Architectural Glazing Systems is forbidden.

© 2023 Solar Innovations, Inc. - All Rights Reserved. These plans are the property of Solar Innovations, Inc. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations, Inc. is forbidden.

SOLAR INNOVATIONS®
WINDOWS & DOORS

SI8000 G2 Thermally Broken Split Wall Sliding Glass Door, High Wind Hook Rail, w/ Screen - Jamb & Meeting Rail Details

ALL DATA CONTAINED HERE IN IS CONSIDERED COMPANY CONFIDENTIAL INFORMATION AND IS SUBJECT TO OUR CONFIDENTIALITY AGREEMENT AS SET FORTH ON OUR WEBSITE AT http://www.solarinnovations.com/contact/

ALL DRAWINGS ARE VIEWED FROM THE EXTERIOR LOOKING IN.

DRAWING SCALE: NOT TO SCALE

© 2023 Solar Innovations® Architectural Glazing Systems – All Rights Reserved. These plans are the property of Solar Innovations® Architectural Glazing Systems. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations® Architectural Glazing Systems is forbidden.

SI8000 GEN 2 SLIDING DOOR SILLS

Thermally Broken Sill Options

G2 SLIDING THERMAL SILL - 5/8" LOW PROFILE SILL
WITH W/ INTERIOR & EXTERIOR RAMPS
LIMITED/NO EXPECTED FIELD WATER PERFORMANCE
CLR OR DK BRZ ANODIZED

G2 ADA SILL W/ INTERIOR FLOORING
1-1.5 PSF EXPECTED FIELD WATER PERFORMANCE
ADA COMPLIANT
CLR ANODIZED

G2 SLIDING THERMAL SILL - 2-5/16" UP LEG
8.4 PSF EXPECTED FIELD WATER PERFORMANCE
CLR OR DK BRZ ANODIZED

G2 SLIDING THERMAL SILL - 1-17/32" UP LEG
4.5 PSF EXPECTED FIELD WATER PERFORMANCE
CLR OR DK BRZ ANODIZED

G2 SLIDING THERMAL SILL - 3" UP LEG
12 PSF EXPECTED FIELD WATER PERFORMANCE
CLR OR DK BRZ ANODIZED

PLEASE NOTE: ONLY STANDARD SILL AND UPLEGS OPTIONS ARE SHOWN,
OTHER VARIATIONS ARE ALSO AVAILABLE UPON REQUEST

Non-Thermally Broken Sill Options

G2 SLIDING NON-THERMAL SILL - 1/2" FLAT SILL W/ RAMPS
LIMITED/NO EXPECTED FIELD WATER PERFORMANCE
ADA COMPLIANT
CLR OR DK BRZ ANODIZED

G2 SLIDING NON-THERMAL SILL - 1-1/4" INTEGRATED UP LEG
4.0 PSF EXPECTED FIELD WATER PERFORMANCE
HURRICANE CERTIFIED
CLR OR DK BRZ ANODIZED

G2 SLIDING NON-THERMAL SILL - 1-7/8" UP LEG
7.1 PSF EXPECTED FIELD WATER PERFORMANCE
HURRICANE CERTIFIED
CLR OR DK BRZ ANODIZED

G2 SLIDING NON-THERMAL TILE SILL
LIMITED/NO EXPECTED FIELD WATER PERFORMANCE
INTERIOR APPLICATIONS ONLY
ADA COMPLIANT
CLR OR DK BRZ ANODIZED

© 2023 Solar Innovations, Inc. - All Rights Reserved. These plans are the property of Solar Innovations, Inc. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations, Inc. is forbidden.

SOLAR INNOVATIONS®
WINDOWS & DOORS

SI8000 G2 Multi Track Sliding Glass Door - Sill Options

ALL DATA CONTAINED HERE IN IS CONSIDERED COMPANY CONFIDENTIAL INFORMATION AND IS SUBJECT TO OUR CONFIDENTIALITY AGREEMENT AS SET FORTH ON OUR WEBSITE AT http://www.solarinnovations.com/contact/

ALL DRAWINGS ARE VIEWED FROM THE EXTERIOR LOOKING IN.

DRAWING SCALE: NOT TO SCALE

© 2023 Solar Innovations® Architectural Glazing Systems – All Rights Reserved. These plans are the property of Solar Innovations® Architectural Glazing Systems. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations® Architectural Glazing Systems is forbidden.