


## EXTERIOR ELEVATION

NOT TO SCALE

~ SOLAR INNOVATIONS' ALL WALL SYSTEM ~



## PLAN VIEW

NOT TO SCALE

### UNIT INFORMATION

FRAMING TYPE: G2 Standard Framing with Iso-bar thermal break

GLAZING SET UP: Opening for  $\frac{3}{16}$ " Monolithic Glazing to  $1\frac{1}{4}$ " Insulated Glazing, Polycarbonate, or Solid Panel Infill


Top or Bottom Weight Bearing

Zero Maintenance Extruded Aluminum Hinges with Stainless Steel Pin

Minimum Horizontal Panel Dimension 18". Smaller Panels may be available upon Engineering Approval

Designed and Manufactured in the U.S.A.

© 2017 Solar Innovations, Inc. - All Rights Reserved. These plans are the property of Solar Innovations, Inc. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations, Inc. is forbidden.



Flashing not needed unless a wood substrate is used.

© 2017 Solar Innovations, Inc. - All Rights Reserved. These plans are the property of Solar Innovations, Inc. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations, Inc. is forbidden.



**SOLAR INNOVATIONS®**  
WINDOWS & DOORS


SI3300 G2 Thermally Broken Folding Glass Wall, Infold, Bottom  
Load, Standard Dual Wheel Sill - Head and Sill Section

ALL DRAWINGS  
ARE VIEWED  
FROM THE  
EXTERIOR  
LOOKING IN.

DRAWING  
SCALE:  
NOT TO SCALE

ALL DATA CONTAINED HEREIN IS CONSIDERED COMPANY CONFIDENTIAL INFORMATION AND IS SUBJECT TO OUR CONFIDENTIALITY AGREEMENT AS SET FORTH ON OUR WEBSITE AT <http://www.solarinnovations.com/contact/>

STRUCTURAL HEADER NOTE:  
STRUCTURAL HEADER (NOT BY SOLAR INNOVATIONS)  
REQUIRED TO SUPPORT WEIGHT OF FOLDING GLASS WALL.  
HEAD DETAIL SHOWN FOR CONCEPTUAL USE ONLY. DESIGN OF  
HEADER IS NOT THE RESPONSIBILITY OF SOLAR INNOVATIONS.



© 2017 Solar Innovations, Inc. - All Rights Reserved. These plans are the property of Solar Innovations, Inc. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations, Inc. is forbidden.




**SOLAR INNOVATIONS®**  
WINDOWS & DOORS

SI3300 G2 Thermally Broken Folding Glass Wall, Infold, Top  
Load, Standard Dual Wheel Sill- Head and Sill Section

ALL DRAWINGS  
ARE VIEWED  
FROM THE  
EXTERIOR  
LOOKING IN.


DRAWING  
SCALE:  
NOT TO SCALE

ALL DATA CONTAINED HEREIN IS CONSIDERED COMPANY CONFIDENTIAL INFORMATION AND IS SUBJECT TO OUR CONFIDENTIALITY AGREEMENT AS SET FORTH ON OUR WEBSITE AT <http://www.solarinnovations.com/contact/>




© 2017 Solar Innovations, Inc. - All Rights Reserved. These plans are the property of Solar Innovations, Inc. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations, Inc. is forbidden.


# SI3350 G2 FOLDING GLASS WALL SILLS




**RECESSED STANDARD SILL**  
12.0 PSF NO LEAKAGE  
HURRICANE CERTIFIED  
NOT ADA  
**MUST CHOOSE PAINT COLOR**



**STANDARD SILL**  
12.0 PSF NO LEAKAGE  
HURRICANE CERTIFIED  
NOT ADA  
**MUST CHOOSE PAINT COLOR**



**RECESSED FLUSH SILL**  
LIMITED AIR & WATER PERFORMANCE  
SIMILAR TO COMMERCIAL DOOR OR BETTER  
BECAUSE OF TANK  
HURRICANE CERTIFIED AT 9.0PSF NO LEAKAGE  
**CLR OR DK BRZ ANODIZED**



**RECESSED SILL w/ DOUBLE ADJUSTABLE RAMP STOP**  
LIMITED WATER RESISTANCE SIMILAR  
TO COMMERCIAL DOOR  
HURRICANE CERTIFIED AT 9.0PSF NO LEAKAGE  
MEETS ADA  
**CLR OR DK BRZ ANODIZED**

© 2017 Solar Innovations, Inc. - All Rights Reserved. These plans are the property of Solar Innovations, Inc. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations, Inc. is forbidden.