


EXTERIOR ELEVATION UNIT

NOT TO SCALE

~ SOLAR INNOVATIONS' IN-SYSTEM PROJECTED AWNING WINDOW ~

UNIT INFORMATION
FRAMING TYPE: In-System Projected Awning Window with Fill and Debridge Thermal Break
GLAZING SET UP: Opening for $\frac{3}{16}$ " Monolithic to $1\frac{1}{8}$ " Insulated Glazing, Polycarbonate, or Solid Panel Infill
Decorative interior and exterior grid option.
Designed and Manufactured in the U.S.A.

© 2017 Solar Innovations, Inc. - All Rights Reserved. These plans are the property of Solar Innovations, Inc. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations, Inc. is forbidden.



© 2017 Solar Innovations, Inc. - All Rights Reserved. These plans are the property of Solar Innovations, Inc. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations, Inc. is forbidden.




SOLAR INNOVATIONS
WINDOWS & DOORS

SI7000 In-System Projected Awning Window - Head and Sill Details


ALL DATA CONTAINED HEREIN IS CONSIDERED COMPANY CONFIDENTIAL INFORMATION AND IS SUBJECT TO OUR CONFIDENTIALITY AGREEMENT AS SET FORTH ON OUR WEBSITE AT <http://www.solarinnovations.com/contact/>

ALL DRAWINGS
ARE VIEWED FROM
THE EXTERIOR
LOOKING IN.


DRAWING
SCALE:
NOT TO SCALE



"EXTERIOR"



"INTERIOR"



© 2017 Solar Innovations, Inc. - All Rights Reserved. These plans are the property of Solar Innovations, Inc. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations, Inc. is forbidden.