SERIES SI2000 PRODUCT DATA SHEET WOOD SWING DOOR SYSTEMS



Frame the Outdoors with the Warmth of Wood.

While swing doors, also known as terrace doors, may be the most common door type, they should not be underestimated for the value they can make to your home or business. As a secure and low-maintenance solution, these hinged door systems are available in single or French door configurations. These doors can be customized a multitude of ways; from wood species, hardware options, closers, transoms, sidelites, and glazing types, including privacy glass. With panel sizes up to 3 ft. by 10 ft., these doors can make a dramatic statement in the front or back of the house or business. By choosing Solar Innovations[®], you can feel confident that these doors will stand the test of time.

FEATURES

OPERATION:

- Terrace or French doors
- Inswing or outswing

FRAMING:

- Wood glulam
- Frame widths: 31/16"
- Frame depths: 3"
- Up to 3' x 10' panels and larger
- · Standard, high performance and ADA compliant sills
- Matching sidelites and transoms
- · LEED friendly system including recycled content

PERFORMANCE:

 Thermally enhanced sills utilizing thermal strut or thermal fill & debridge

GLAZING:

- Designed to accommodate almost any monolithic, insulated, laminated, decorative, polycarbonate, or solid panel infill from $^{3}/_{16}$ " to 1%"

HARDWARE:

- Zero-maintenance semi-concealed corrosion-proof extruded aluminum hinge with stainless steel pin
- · Panic hardware, door limiters & door closers
- Multiple hardware styles & finishes
- · Multi-point locking hardware for added security


FINISHES:

- Scantling Wood Species:
 - Standard: Red Oak, White Ash, Hard Maple, White Oak
 - Premium: Douglas Fir, Cherry, Sepele Mahogany, Walnut
- Aluminum Cladding Finishes:
 - Standard AAMA 2603 paint finishes: Black, White, Sandstone, Natural Clay, Bronze and Hartford Green
 - AAMA 611 Class I anodized finishes: Clear, Dark Bronze
 - Standard AAMA 2605 powder coat finishes: Black, White, Sandstone, Natural Clay, Bronze and Hartford Green
 Promium AAMA powder coat finishes
 - Premium AAMA powder coat finishes
- Fluoropolymer (50% or 70%): AAMA 2605
- Dual finish interior/exterior applications

OPTIONS:

- Framed and cartridge retractable screen options
- Decorative muntins, simulated divided lites (SDLs), interior and exterior grids





Antique Brass

Oil Rubbed Bronze

Dark Bronze PC

Torino

Black PC

White PC

Satin Nickel

66

Frankfurt

A Silver

Chestnut

Alpine Frost

В

C

D

London

Grey Brown

White

Matte Black

D

Ε

Allegro

Satin Chrome

Polished Chrome*

Polished Brass

solarinnovations.com | 800 618 0669 | 31 Roberts Road, Pine Grove, PA 17963 | Rev 3.27.24

Venice

Pewter

* Not available for Torino

Dark Bronze

AR2190

Bright BrassSatin Brass

Dark Bronze

Bright Stainless

Satin Stainless

.

.

•

B: Hinges



Semi-Concealed Hinge

c: Closers, Catches, & Limiters









Door Closer Finishes: Aluminum Painted, Bronze, Black

Commercial Panic Hardware Options





Square Exterior Entry Trim





Push Only Wire Pulls

Passive Hardware Sets





Toronto

Please Note: All hardware is subject to vendor availability. Custom finishes may be available upon request at additional lead time and/or cost. Solar Innovations® reserves the right to discontinue any hardware option at any time. Please be sure to visit our website for additional product information: www.solarinnovations.com

CONFIGURATIONS






Single with Sidelite



Single with Two Sidelites



French



French with Sidelites

Note: Doors can be hinged, and single sidelites can be placed, on either the left or right side of door.

Additional configurations are available.



Single with

Transom

French with Transom




Single with Sidelite

& Transom




Single with Two Sidelites & Transom





French with Sidelites and Transom



GRID OPTIONS









Double Gothic Grid




Traditional Grid





English Grid



FINISH	OPTIONS	\sim						
Paint AAMA 260	3 (5 year warranty). Finish	es available	while in stock.				Anodized Addit	ional cost
SI Black	SI White	SI	Sandstone	SI Natural Clay	SI Bronze	SI Hartford Green	Class I Clear Anodized	Dark Bronze Anodized
Powder Coat	t Solids standard - /	AMA 2605 (1	0 year; up to 20 ye	ar warranty). Scratch & fa	ade resistant; contain	s no VOCs.*	1	
Black FRSL 1161		White FRSL 83247		Sandstone FRSL 46647	Natural C FRSL 47591		97138	Hartford Green FRSL 32872
owder Coa	t Solids PREMIUM -	AAMA 2605 (1	0 year; up to 20 ye	ear warranty). Scratch & f	ade resistant; contair	s no VOCs.*		
Apollo White FRSL 82908	Bone White FRSL 82909	Ivory FRSL 46646	Seawolf FRSL 46645	Fashion Gray FRSL 74652	Colonial Gray FRSL 74653		e Bronze Burgun 46648 FRSL 624	96 Light Blue
isit https://www	.ifscoatings.com/cont	ent/assets/	Uploads/brochเ	ures/IFS-Architectural-	Digital-Color-Card.	odf for additional metallio	and anodic finishes	FRSL 21709
Metal Clad	STANDARD* (EXTERIOR (DNLY)	Metal Clad	PREMIUM*				
Copper	#4 Polis Stainless		Rheinzin Bright Roll		nzink Gray** G	Rheinzink raphite Gray**	Brass	Bronze
Decoral Fini	ishes (Powder C	coat)∗						
Aged Dark C	Dak Aged Light (Dak	American Douglas	American Maple	Cherry	Cherry w/Flame	Colony Maple	Dark Walnut
Europe Cherry		n	Knotty Pine	National Walnut	Oak	Oregon Douglas	Table Cherry	Teak
Nood Vene	ering (Unfinishe	ed) standa	ARD*		Wood Venee	ring (Unfinished) Pr	REMIUM*	
Douglas Fir	White Oak		Walnut	Mahogany	White Pir	ne Peca	n Pine	Cherry
	ering is for interior ap	•	niiy. Avaliable o	n a miniteu basis due i	to vendor supply.			
Lead times subject	. to availability. Speci							

Note: Depending upon color selection, additional charges and increased lead times may apply. Extended warranties and service plans are available for an additional charge. Examples are shown as accurate as photography and printing processes allow. Final finish selection should be made from a physical sample; contact Solar Innovations* for samples. Product and finish options are subject to vendor availability. Solar Innovations* reserves the right to discontinue any option at any time without notice. Additional options, including custom color match, are available; contact Solar Innovations* for details.


To find out more about the features and options of our folding glass walls, visit our website at solarinnovations.com/folding-glass-walls/ or contact one of our sales designers at 800 618 0669.

GLASS SPECIFICATIONS

	Overall Unit Thickness	U-Value	R-Value	Solar Heat Gain Coefficient	Visible Light Transmission	Reflectance Out	Reflectance In	UV Transmittance
MONOLITHIC								
Clear	1⁄4″	1.02	0.91	0.82	88%	8%	8%	62%
DOUBLE GLAZED O	utside Lite/Insi	de Lite						
Clear/Clear	1"	0.46	2.17	0.78	82%	15%	15%	58%
180/Clear	1"	0.26	3.85	0.64	79%	15%	15%	29%
272/Clear	1"	0.25	4.00	0.41	72%	11%	12%	16%
366/Clear	1"	0.24	4.17	0.27	65%	11%	12%	5%
340/Clear	1"	0.25	4.00	0.18	39%	11%	13%	2%
180/i89	1"	0.21	4.76	0.62	77%	15%	14%	27%
272/i89	1"	0.20	5.00	0.41	70%	11%	11%	16%
366/i89	1"	0.20	5.00	0.27	63%	11%	11%	5%
340/i89	1"	0.20	5.00	0.17	38%	11%	12%	2%
Gray/Clear	1"	0.45	2.22	0.60	57%	9%	13%	32%
Gray/180	1"	0.26	3.85	0.49	53%	9%	14%	17%
Gray/272	1"	0.25	4.00	0.38	50%	8%	9%	10%
Bronze/Clear	1"	0.45	2.22	0.62	61%	10%	13%	31%
Bronze/180	1"	0.26	3.85	0.61	59%	10%	14%	17%
Bronze/272	1"	0.25	4.00	0.39	54%	8%	10%	10%
SolarBan 60/Clear	1″	0.24	-	0.39	70%	11%	12%	20%
SolarBan 70/Clear	1″	0.24	-	0.27	64%	14%	13%	6%
SolarBan 90/Clear	1″	0.24	-	0.23	51%	12%	19%	8%
TRIPLE GLAZED Ou	tside Lite/Middl	e Lite/Inside	e Lite					
180/Clear/180	11⁄8"	0.15	6.67	0.56	70%	20%	20%	13%
272/Clear/180	11⁄8"	0.15	6.67	0.37	63%	15%	18%	8%
366/Clear/180	11⁄8"	0.15	6.67	0.25	57%	14%	18%	2%
340/Clear/180	11⁄8"	0.15	6.67	0.16	34%	13%	19%	1%


SILL OPTIONS





1³/₁₆″ ↓ 1³/₁₆″ ↓ 3¹¹/₃₂″ ↓ ↑

Inswing Sill




ADA Sill

Outswing Sill


HP Outswing Sill

VERTICAL & HORIZONTAL RAIL OPTIONS






JAMB & ELEVATION DETAILS




Exterior Interior



French Door Configuration

ALUMINUM CLADDING DETAILS



solarinnovations.com | 800 618 0669 | 31 Roberts Road, Pine Grove, PA 17963 | Rev 3.27.24