SINGLE SLOPE SKYLIGHT

ISOMETRIC ELEVATION

NOT TO SCALE

UNIT INFORMATION
FRAMING TYPE: Walkable Skylight Frame
GLAZING SET UP: Open for $1\frac{1}{4}$" Monolithic Laminated, Walkable Glass w/ Non-Slip Frit Pattern
True Divided Lites unavailable for Standard Walkable Frame.
Custom Configurations Available Upon Request.
Designed and Manufactured in the U.S.A.

© 2024 Solar Innovations, Inc. - All Rights Reserved. These plans are the property of Solar Innovations, Inc. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations, Inc. is forbidden.

SOLAR INNOVATIONS®
WINDOWS & DOORS

SI5500 Walkable Skylight System

ALL DATA CONTAINED HERE IN IS CONSIDERED COMPANY CONFIDENTIAL INFORMATION AND IS SUBJECT TO OUR CONFIDENTIALITY AGREEMENT AS SET FORTH ON OUR WEBSITE AT http://www.solarinnovations.com/contact/

ALL DRAWINGS ARE VIEWED FROM THE EXTERIOR LOOKING IN.

DRAWING SCALE: NOT TO SCALE

© 2024 Solar Innovations® Architectural Glazing Systems – All Rights Reserved. These plans are the property of Solar Innovations® Architectural Glazing Systems. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations® Architectural Glazing Systems is forbidden.

SUBSTRATE MATERIAL TO BE DETERMINED BY OTHER

IMPORTANT NOTE:
SOLAR INNOVATIONS ACCEPTS A NOTCHED G2 REGULAR GLAZING BAR OR 2"X4" ALUMINUM RAFTER AS SUITABLE TRUE DIVIDED LITE RAFTERS FOR USE ON THE HIGH WALKABLE PERIMETER FRAME.

IMPORTANT NOTE:
SOLAR INNOVATIONS RECOMMENDS A MINIMUM 1° PITCH ON ALL WALKABLE SKYLIGHTS TO REDUCE THE RISK OF PONDING. BY NATURE PONDING MAY STILL OCCUR WITH OR WITHOUT RECOMMENDED PITCH, THEREFORE IT IS NOT RECOMMENDED TO WALK ON THE SKYLIGHT SURFACES WHILE WET OR WHEN SLIPPERY FROM DIRT, POLLEN, ETC. IF WALKING ON SKYLIGHTS WHILE WET OR SLIPPERY IS REQUIRED, SLIP RESISTANT SHOES ARE RECOMMENDED FOR SAFETY PRECAUTIONS. SOLAR INNOVATIONS IS NOT RESPONSIBLE FOR FAILURE TO COMPLY WITH THESE RECOMMENDATIONS.

SUBSTRATE MATERIAL TO BE DETERMINED BY OTHER

** Rafter Approval based on Final Engineering **

© 2024 Solar Innovations, Inc. - All Rights Reserved. These plans are the property of Solar Innovations, Inc. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations, Inc. is forbidden.

SOLAR INNOVATIONS® WINDOWS & DOORS

SI5500 Walkable Skylight System, High Walkable Frame, G2 RGB Rafters - Perimeter Details

ALL DATA CONTAINED HERE IN IS CONSIDERED COMPANY CONFIDENTIAL INFORMATION AND IS SUBJECT TO OUR CONFIDENTIALITY AGREEMENT AS SET FORTH ON OUR WEBSITE AT http://www.solarinnovations.com/contact/

ALL DRAWINGS ARE VIEWED FROM THE EXTERIOR LOOKING IN.

DRAWING SCALE: NOT TO SCALE

© 2024 Solar Innovations® Architectural Glazing Systems – All Rights Reserved. These plans are the property of Solar Innovations® Architectural Glazing Systems. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations® Architectural Glazing Systems is forbidden.

SUBSTRATE MATERIAL TO BE DETERMINED BY OTHER

IMPORTANT NOTE:
SOLAR INNOVATIONS DOES ACCEPT ANY TRUE DIVIDED LITES ON THE STANDARD WALKABLE PERIMETER FRAME. THE STANDARD WALKABLE FRAME IS MEANT FOR SINGLE BAY APPLICATIONS ONLY.

IMPORTANT NOTE:
SOLAR INNOVATIONS RECOMMENDS A MINIMUM 1° PITCH ON ALL WALKABLE SKYLIGHTS TO REDUCE THE RISK OF PONDING. BY NATURE PONDING MAY STILL OCCUR WITH OR WITHOUT RECOMMENDED PITCH, THEREFORE IT IS NOT RECOMMENDED TO WALK ON THE SKYLIGHT SURFACES WHILE WET OR WHEN SLIPPERY FROM DIRT, POLLEN, ETC. IF WALKING ON SKYLIGHTS WHILE WET OR SLIPPERY IS REQUIRED, SLIP RESISTANT SHOES ARE RECOMMENDED FOR SAFETY PRECAUTIONS. SOLAR INNOVATIONS IS NOT RESPONSIBLE FOR FAILURE TO COMPLY WITH THESE RECOMMENDATIONS.

SUBSTRATE MATERIAL TO BE DETERMINED BY OTHER

** Rafter Approval based on Final Engineering **

© 2024 Solar Innovations, Inc. - All Rights Reserved. These plans are the property of Solar Innovations, Inc. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations, Inc. is forbidden.

SOLAR INNOVATIONS®
WINDOWS & DOORS

SI5500 Walkable Skylight System, Standard Walkable Frame, No Rafters - Perimeter Details

ALL DATA CONTAINED HERE IN IS CONSIDERED COMPANY CONFIDENTIAL INFORMATION AND IS SUBJECT TO OUR CONFIDENTIALITY AGREEMENT AS SET FORTH ON OUR WEBSITE AT http://www.solarinnovations.com/contact/

ALL DRAWINGS ARE VIEWED FROM THE EXTERIOR LOOKING IN.

DRAWING SCALE:
NOT TO SCALE

© 2024 Solar Innovations® Architectural Glazing Systems – All Rights Reserved. These plans are the property of Solar Innovations® Architectural Glazing Systems. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations® Architectural Glazing Systems is forbidden.

SUBSTRATE MATERIAL TO BE DETERMINED BY OTHER

IMPORTANT NOTE:
SOLAR INNOVATIONS ACCEPTS A G2 HEAVY GLAZING BAR, 2"X8", OR 2"X10" ALUMINUM RAFTER AS SUITABLE SIZES FOR USE ON THE FGS SILL MOUNTED PERIMETER FRAME.

IMPORTANT NOTE:
SOLAR INNOVATIONS RECOMMENDS A MINIMUM 1° PITCH ON ALL WALKABLE SKYLIGHTS TO REDUCE THE RISK OF PONDING. BY NATURE PONDING MAY STILL OCCUR WITH OR WITHOUT RECOMMENDED PITCH, THEREFORE IT IS NOT RECOMMENDED TO WALK ON THE SKYLIGHT SURFACES WHILE WET OR WHEN SLIPPERY FROM DIRT, POLLEN, ETC. IF WALKING ON SKYLIGHTS WHILE WET OR SLIPPERY IS REQUIRED, SLIP RESISTANT SHOES ARE RECOMMENDED FOR SAFETY PRECAUTIONS. SOLAR INNOVATIONS IS NOT RESPONSIBLE FOR FAILURE TO COMPLY WITH THESE RECOMMENDATIONS.

SUBSTRATE MATERIAL TO BE DETERMINED BY OTHER

** Rafter Approval based on Final Engineering **

© 2024 Solar Innovations, Inc. - All Rights Reserved. These plans are the property of Solar Innovations, Inc. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations, Inc. is forbidden.

SOLAR INNOVATIONS®
WINDOWS & DOORS

SI5500 Walkable Skylight System, FGS Sill Mount Frame, G2 RGB Rafters - G2 HGB Perimeter Details

ALL DATA CONTAINED HERE IN IS CONSIDERED COMPANY CONFIDENTIAL INFORMATION AND IS SUBJECT TO OUR CONFIDENTIALITY AGREEMENT AS SET FORTH ON OUR WEBSITE AT http://www.solarinnovations.com/contact/

ALL DRAWINGS ARE VIEWED FROM THE EXTERIOR LOOKING IN.

DRAWING SCALE: NOT TO SCALE

© 2024 Solar Innovations® Architectural Glazing Systems – All Rights Reserved. These plans are the property of Solar Innovations® Architectural Glazing Systems. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations® Architectural Glazing Systems is forbidden.

2" SYSTEM RAFTERS

** Rafter Approval based on Final Engineering **

© 2024 Solar Innovations, Inc. - All Rights Reserved. These plans are the property of Solar Innovations, Inc. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations, Inc. is forbidden.

SOLAR INNOVATIONS® WINDOWS & DOORS

SI5500 Walkable Skylight System - Rafter Options

ALL DATA CONTAINED HERE IN IS CONSIDERED COMPANY CONFIDENTIAL INFORMATION AND IS SUBJECT TO OUR CONFIDENTIALITY AGREEMENT AS SET FORTH ON OUR WEBSITE AT http://www.solarinnovations.com/contact/

ALL DRAWINGS ARE VIEWED FROM THE EXTERIOR LOOKING IN.

DRAWING SCALE: NOT TO SCALE

© 2024 Solar Innovations® Architectural Glazing Systems – All Rights Reserved. These plans are the property of Solar Innovations® Architectural Glazing Systems. Any use or reproduction of these plans, in whole or in part, without the written permission of Solar Innovations® Architectural Glazing Systems is forbidden.